

Automatic Image Alignment (feature-based)



© Mike Nese

*with a lot of slides stolen from
Steve Seitz and Rick Szeliski*

15-463: Computational Photography
Alexei Efros, CMU, Fall 2005

Today's lecture


- Feature detectors
 - scale invariant Harris corners
- Feature descriptors
 - patches, oriented patches

Reading for Project #4:

Multi-image Matching using Multi-scale image patches, CVPR 2005

Invariant Local Features

Image content is transformed into local feature coordinates that are invariant to translation, rotation, scale, and other imaging parameters



Features Descriptors

Advantages of local features

Locality: features are local, so robust to occlusion and clutter (no prior segmentation)

Distinctiveness: individual features can be matched to a large database of objects

Quantity: many features can be generated for even small objects

Efficiency: close to real-time performance

Extensibility: can easily be extended to wide range of differing feature types, with each adding robustness


More motivation...

Feature points are used for:

- Image alignment (homography, fundamental matrix)
- 3D reconstruction
- Motion tracking
- Object recognition
- Indexing and database retrieval
- Robot navigation
- ... other

Harris corner detector


C.Harris, M.Stephens. "A Combined Corner and Edge Detector". 1988




The Basic Idea

We should easily recognize the point by looking through a small window


Shifting a window in *any direction* should give a *large change* in intensity




Harris Detector: Basic Idea



“flat” region:
no change in
all directions



“edge”:
no change along
the edge direction



“corner”:
significant change
in all directions

Harris Detector: Mathematics

Change of intensity for the shift $[u, v]$:


$$E(u, v) = \sum_{x, y} w(x, y) [I(x + u, y + v) - I(x, y)]^2$$

Window
function

Shifted
intensity


Intensity

Window function $w(x, y) =$



1 in window, 0 outside

or



Gaussian

Harris Detector: Mathematics

For small shifts $[u, v]$ we have a *bilinear* approximation:

$$E(u, v) \cong [u, v] M \begin{bmatrix} u \\ v \end{bmatrix}$$


where M is a 2×2 matrix computed from image derivatives:

$$M = \sum_{x, y} w(x, y) \begin{bmatrix} I_x^2 & I_x I_y \\ I_x I_y & I_y^2 \end{bmatrix}$$

$$A^T A = \begin{bmatrix} \sum I_x I_x & \sum I_x I_y \\ \sum I_x I_y & \sum I_y I_y \end{bmatrix} = \sum \begin{bmatrix} I_x \\ I_y \end{bmatrix} [I_x \ I_y] = \sum \nabla I (\nabla I)^T$$

Harris Detector: Mathematics

Classification of
image points using
eigenvalues of M :



Harris Detector: Mathematics

Measure of corner response:

$$R = \frac{\det M}{\text{Trace } M}$$

$$\det M = \lambda_1 \lambda_2$$

$$\text{trace } M = \lambda_1 + \lambda_2$$

Harris Detector

The Algorithm:


- Find points with large corner response function R ($R > \text{threshold}$)
- Take the points of local maxima of R

Harris Detector: Workflow



Harris Detector: Workflow

Compute corner response R




Harris Detector: Workflow

Find points with large corner response: $R > \text{threshold}$



Harris Detector: Workflow

Take only the points of local maxima of R




Harris Detector: Workflow



Harris Detector: Some Properties

Rotation invariance





Ellipse rotates but its shape (i.e. eigenvalues) remains the same

Corner response R is invariant to image rotation

Harris Detector: Some Properties


Partial invariance to *affine intensity* change

- ✓ Only derivatives are used \Rightarrow invariance to intensity shift $I \rightarrow I + b$
- ✓ Intensity scale: $I \rightarrow a I$




Harris Detector: Some Properties

But: non-invariant to *image scale*!



All points will be
classified as **edges**




Corner !

Scale Invariant Detection

Consider regions (e.g. circles) of different sizes around a point


Regions of corresponding sizes will look the same in both images



Scale Invariant Detection


The problem: how do we choose corresponding circles *independently* in each image?

Choose the scale of the “best” corner



Feature selection


Distribute points evenly over the image




Adaptive Non-maximal Suppression

Desired: Fixed # of features per image

- Want evenly distributed spatially...
- Search over non-maximal suppression radius
[Brown, Szeliski, Winder, CVPR'05]



(a) Strongest 250



(b) Strongest 500



(c) ANMS 250, $r = 24$




(d) ANMS 500, $r = 16$

Feature descriptors

We know how to detect points

Next question: **How to match them?**



Point descriptor should be:


1. Invariant

2. Distinctive

Descriptors Invariant to Rotation

Find local orientation

Dominant direction of gradient



- Extract image patches relative to this orientation

Multi-Scale Oriented Patches

Interest points

- Multi-scale Harris corners
- Orientation from blurred gradient
- Geometrically invariant to rotation

Descriptor vector

- Bias/gain normalized sampling of local patch (8x8)
- Photometrically invariant to affine changes in intensity

[Brown, Szeliski, Winder, CVPR'2005]

Descriptor Vector

Orientation = blurred gradient

Rotation Invariant Frame

- Scale-space position (x, y, s) + orientation (θ)



Detections at multiple scales




Figure 1. Multi-scale Oriented Patches (MOPS) extracted at five pyramid levels from one of the Matier images. The boxes show the feature orientation and the region from which the descriptor vector is sampled.