

# Homographies and Mosaics

---



© Jeffrey Martin (jeffrey-martin.com)

*with a lot of slides stolen from  
Steve Seitz and Rick Szeliski*

15-463: Computational Photography  
Alexei Efros, CMU, Fall 2006

# Why Mosaic?

---

Are you getting the whole picture?

- Compact Camera FOV =  $50 \times 35^\circ$



# Why Mosaic?

---

Are you getting the whole picture?

- Compact Camera FOV =  $50 \times 35^\circ$
- Human FOV =  $200 \times 135^\circ$



# Why Mosaic?

---

Are you getting the whole picture?

- Compact Camera FOV =  $50 \times 35^\circ$
- Human FOV =  $200 \times 135^\circ$
- Panoramic Mosaic =  $360 \times 180^\circ$





# Mosaics: stitching images together


---



virtual wide-angle camera

# A pencil of rays contains all views

---



Can generate any synthetic camera view  
as long as it has **the same center of projection!**

# How to do it?

---

## Basic Procedure

- Take a sequence of images from the same position
  - Rotate the camera about its optical center
- Compute transformation between second image and first
- Transform the second image to overlap with the first
- Blend the two together to create a mosaic
- If there are more images, repeat

...but **wait**, why should this work at all?

- What about the 3D geometry of the scene?
- Why aren't we using it?

# Aligning images

---



left on top



right on top




Translations are not enough to align the images





# Image reprojection

---



The mosaic has a natural interpretation in 3D

- The images are reprojected onto a common plane
- The mosaic is formed on this plane
- Mosaic is a *synthetic wide-angle camera*

# Image reprojection

---

## Basic question

- How to relate two images from the same camera center?
  - how to map a pixel from PP1 to PP2


## Answer

- Cast a ray through each pixel in PP1
- Draw the pixel where that ray intersects PP2

But don't we need to know the geometry of the two planes in respect to the eye?

Observation:


Rather than thinking of this as a 3D reprojection, think of it as a 2D **image warp** from one image to another



# Back to Image Warping

---


Which t-form is the right one for warping PP1 into PP2?  
e.g. translation, Euclidean, affine, projective



Translation

Affine


Perspective



2 unknowns



6 unknowns



8 unknowns

# Homography

---

A: Projective – mapping between any two PPs with the same center of projection

- rectangle should map to arbitrary quadrilateral
- parallel lines aren't
- but must preserve straight lines
- same as: project, rotate, reproject


called Homography

$$\begin{bmatrix} wx' \\ wy' \\ w \end{bmatrix} = \begin{bmatrix} * & * & * \\ * & * & * \\ * & * & * \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

$\mathbf{p}' \quad \mathbf{H} \quad \mathbf{p}$

To apply a homography  $\mathbf{H}$

- Compute  $\mathbf{p}' = \mathbf{H}\mathbf{p}$  (regular matrix multiply)
- Convert  $\mathbf{p}'$  from homogeneous to image coordinates





# Image warping with homographies







image plane in front

black area  
where no pixel  
maps to



# Image rectification

---



To unwarp (rectify) an image

- Find the homography  $\mathbf{H}$  given a set of  $\mathbf{p}$  and  $\mathbf{p}'$  pairs
- How many correspondences are needed?
- Tricky to write  $\mathbf{H}$  analytically, but we can solve for it!
  - Find such  $\mathbf{H}$  that “best” transforms points  $\mathbf{p}$  into  $\mathbf{p}'$
  - Use least-squares!

# Least Squares Example

---

Say we have a set of data points  $(X_1, X_1')$ ,  $(X_2, X_2')$ ,  $(X_3, X_3')$ , etc. (e.g. person's height vs. weight)

We want a nice compact formula (a line) to predict  $X'$ s from  $X$ s:  $Xa + b = X'$

We want to find  $a$  and  $b$

How many  $(X, X')$  pairs do we need?


$$\begin{aligned} X_1 a + b &= X_1' \\ X_2 a + b &= X_2' \end{aligned} \quad \begin{bmatrix} X_1 & 1 \\ X_2 & 1 \end{bmatrix} \begin{bmatrix} a \\ b \end{bmatrix} = \begin{bmatrix} X_1' \\ X_2' \end{bmatrix} \quad Ax=B$$

What if the data is noisy?

$$\begin{bmatrix} X_1 & 1 \\ X_2 & 1 \\ X_3 & 1 \\ \dots & \dots \end{bmatrix} \begin{bmatrix} a \\ b \end{bmatrix} = \begin{bmatrix} X_1' \\ X_2' \\ X_3' \\ \dots \end{bmatrix}$$

overconstrained

$$\min \|Ax - B\|^2$$



# Solving for homographies

---

$$\mathbf{p}' = \mathbf{H}\mathbf{p}$$
$$\begin{bmatrix} wx' \\ wy' \\ w \end{bmatrix} = \begin{bmatrix} a & b & c \\ d & e & f \\ g & h & i \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

Can set scale factor  $w=1$ . So, there are 8 unknowns.

Set up a system of linear equations:

$$\mathbf{A}\mathbf{h} = \mathbf{b}$$

where vector of unknowns  $\mathbf{h} = [a, b, c, d, e, f, g, h]^T$

Need at least 8 eqs, but the more the better...

Solve for  $\mathbf{h}$ . If overconstrained, solve using least-squares:

$$\min \|\mathbf{A}\mathbf{h} - \mathbf{b}\|^2$$

Can be done in Matlab using “\” command

- see “help lmdivide”



# Fun with homographies

---

Original image




St.Petersburg  
photo by A. Tikhonov

Virtual camera rotations



# Panoramas

---




1. Pick one image (red)
2. Warp the other images towards it (usually, one by one)
3. blend

# changing camera center


---

Does it still work?



# Planar scene (or far away)

---




PP3 is a projection plane of both centers of projection,  
so we are OK!

This is how big aerial photographs are made




# Planar mosaic



# Programming Project #3

---



## Homographies and Panoramic Mosaics

- Capture photographs (and possibly video)
  - Might want to use tripod
- Compute homographies (define correspondences)
  - will need to figure out how to setup system of eqs.
- (un)warp an image (undo perspective distortion)
- Produce 3 panoramic mosaics (with blending)
- Do some of the Bells and Whistles

# Bells and Whistles

---

## Blending and Compositing

- use homographies to combine images or video and images together in an interesting (fun) way. E.g.
  - put fake graffiti on buildings or chalk drawings on the ground
  - replace a road sign with your own poster
  - project a movie onto a building wall
  - etc.



# Bells and Whistles

---

Capture creative/cool/bizzare panoramas

- Example from UW (by Brett Allen):



- Ever wondered what is happening inside your fridge while you are not looking?

Capture a 360 panorama (a bit tricky... talk in next next class)



# Bells and Whistles

---

## Video Panorama

- Capture two (or more) stationary videos (either from the same point, or of a planar/far-away scene). Compute homography and produce a video mosaic. Need to worry about synchronization (not too hard).
- e.g. capturing a football game from the sides of the stadium

## Other interesting ideas?

- talk to me

# From previous year's classes

---



Ben Hollis, 2004



Ben Hollis, 2004



Matt Pucevich , 2004



Eunjeong Ryu (E.J), 2004

# Go Explore!

---



Ken Chu, 2004